



National Science Foundation



# NHERI RAPID Facility: Site User Manual

**Revision Date: September 12, 2018**

PI: Joseph Wartman, University of Washington

Co-PI's: Jeffrey Berman, University of Washington, Michael Olsen, Oregon State University,  
Jennifer Irish, Virginia Polytechnic Institute, Scott Miles, University of Washington

Senior Personnel: Troy Tanner, University of Washington, Ann Bostrom, University of Washington, Kurtis  
Gurley, University of Florida, Laura Lowes, University of Washington

Site Operations Specialist: Jacob Dafni

NSF Award #: CMMI 1611820



## CONTENTS

1. Overview of RAPID and Its Resources .....	3
1.1 Mission and Values of the RAPID:.....	3
1.2 Strategic Activities of the RAPID:.....	3
1.3 Who is the RAPID: .....	3
1.4 Contacting the RAPID: .....	4
1.5 RAPID Equipment .....	5
1.5 RAPID Software (The RApp).....	8
1.6 RAPID Services .....	9
1.7 RAPID and User Workflow .....	9
2. How To Request RAPID Equipment/Resources.....	10
2.1 Preparing for an Equipment Request: .....	10
2.2 Making a RAPID Equipment Request: .....	11
3. RAPID Users and Uses .....	12
4. User Training .....	12
5. Receiving RAPID Equipment.....	13
5.1 General Shipping Considerations.....	13
5.2 Shipping Costs .....	13
5.3 Special Shipping Considerations for Batteries.....	13
5.4 Special International Shipping Considerations .....	13
6. Returning RAPID Equipment .....	14
7. Insurance .....	14
8. Setting up RApp Prior to Deployment.....	14
8.1 Step 1: DesignSafe – Login and Data Archive .....	14
8.2 Step 2: RApp Website – Pre-deployment Planning .....	14
8.3 Step 3: RApp iOS App – Mission Planning and Data Collection.....	15
9. User Rates and Fees .....	15

## 1. OVERVIEW OF RAPID AND ITS RESOURCES

### 1.1 Mission and Values of the RAPID:

The NSF NHERI RAPID facility (RAPID herein) provides investigators with the equipment, software, and support services needed to collect, process, and analyze perishable data from natural hazard events. The facility supports natural hazard and disaster researchers through training and educational activities, field deployment services, and facilitating engagement between scientists, engineers, stakeholders, and the public.

The RAPID promotes reconnaissance-based science, shared resources, open data, interdisciplinary research, community engagement, and innovation to reduce the adverse impacts of natural hazards.

### 1.2 Strategic Activities of the RAPID:

To achieve its mission, the RAPID engages in the following strategic activities

1. Acquiring, maintaining, and operating state-of-the-art data collection equipment.
2. Developing and supporting mobile applications to support interdisciplinary field reconnaissance.
3. Providing advisory services and basic logistics support for research investigations.
4. Facilitating the systematic archiving, processing and visualization of acquired data in [DesignSafe-CI](#).
5. Training a broad user base through workshops and other activities.
6. Engaging the public through citizen science, as well as through community outreach and education.

### 1.3 Who is the RAPID:

The RAPID is headquartered at the University of Washington (UW) and is a collaboration between researchers at UW, Oregon State University (OSU), Virginia Tech (VT), and the University of Florida (UF). The RAPID staff are pictured and listed below.



*RAPID Facility Staff (from left-to-right beginning in the front): Kurtis Gurley (UF), Wind Hazards Specialist; Jennifer Irish (VT), Coast Hazards Specialist; Laura Lowes (UW), Structural Engineering Specialist; Jeffrey Berman (UW), Site Operation Director; Scott Miles (UW), Social Science Specialist; Michael Olsen (OSU), Technical Director; Ann Bostrom (UW), Social Science Specialist, Troy Tanner (UW-APL), IT and Data Director; Jake Dafni (UW), Site Operations Manager; Joseph Wartman (UW), Director*

### 1.4 Contacting the RAPID:

The RAPID Facility headquarters are located in the Civil & Environmental Engineering building, More Hall, Room 116, in Seattle, WA. More Hall is about 20 miles from the SeaTac International Airport and can be reached by car (pick-up at the airport), shuttle (pick up at the airport), bus (exiting at the University of Washington HUB), or link light rail (exiting at the University of Washington station).

RAPID Headquarters Email and Phone:

(206) 616-3318  
[uwrappid@uw.edu](mailto:uwrappid@uw.edu)

RAPID Headquarters Shipping Address:

201 More Hall  
 University of Washington  
 3760 E Stevens Way NE  
 Seattle, WA 98195  
 Care of: Jake Dafni.

[Map to RAPID Headquarters in More Hall \(click\)](#)

RAPID Staff Contact Information:

<p><b>PRIMARY CONTACT: Jake Dafni, PhD</b>  <b>Operations Manager</b>            Research Scientist/Engineer, Geotechnical and Earthquake Engineering            Civil &amp; Environmental Engineering            University of Washington            (206) 616-3318  <a href="mailto:dafnij@uw.edu">dafnij@uw.edu</a></p>	<p><b>Troy Tanner</b>  <b>IT Director</b>            Principal Software Engineer, Environmental and Information Systems            Applied Physics Laboratory            University of Washington            (206) 685-2770  <a href="mailto:troyt@apl.uw.edu">troyt@apl.uw.edu</a></p>
<p><b>Joseph Wartman, PhD</b>  <b>Director</b>            Professor, Geologic Hazards            Civil &amp; Environmental Engineering            University of Washington            (206) 685-5303  <a href="mailto:wartman@uw.edu">wartman@uw.edu</a></p>	<p><b>Kurt Gurley, PhD</b>  <b>Wind Hazards Specialist</b>            Associate Professor, Wind and Coastal Engineering            Civil and Coastal Engineering            (352) 392-9537  <a href="mailto:kgurl@ce.ufl.edu">kgurl@ce.ufl.edu</a></p>
<p><b>Jeffrey Berman, PhD</b>  <b>Operations Director</b>            Associate Professor, Structural Engineering            Civil &amp; Environmental Engineering            University of Washington            (206) 616-3530  <a href="mailto:jwberman@uw.edu">jwberman@uw.edu</a></p>	<p><b>Jennifer Irish, PhD</b>  <b>Coastal Hazards Specialist</b>            Professor, Coastal Engineering            Civil &amp; Environmental Engineering            Virginia Tech            (540) 231-2298  <a href="mailto:jirish@vt.edu">jirish@vt.edu</a></p>



<p><b>Michael Olsen, PhD</b> <b>Technical Director</b> Associate Professor, Geomatics Civil &amp; Construction Engineering Oregon State University (541) 737-9327 <a href="mailto:olsen@oregonstate.edu">olsen@oregonstate.edu</a></p>	<p><b>Scott Miles, PhD</b> <b>Social Science Specialist</b> Senior Principal Research Scientist, Social Science Human Centered Design and Engineering University of Washington <a href="mailto:milessb@uw.edu">milessb@uw.edu</a></p>
<p><b>Ann Bostrom, PhD</b> <b>Social Science Specialist</b> Professor, Environmental Policy Evans School of Public Policy and Governance University of Washington (206) 685-8198 <a href="mailto:abostrom@uw.edu">abostrom@uw.edu</a></p>	<p><b>Laura Lowes, PhD</b> <b>Structural and Earthquake Engineering Specialist</b> Professor, Structural and Earthquake Engineering Department Chair Civil &amp; Environmental Engineering University of Washington (206) 685-2563 <a href="mailto:lowes@uw.edu">lowes@uw.edu</a></p>

### 1.5 RAPID Equipment

Equipment offered by the RAPID is tabulated below, and includes equipment useful for investigations across various natural hazards and disciplines (e.g., computing, laser scanning, surveying, unmanned aerial systems, digital imaging, data visualization, and backpacks with natural hazards reconnaissance essentials), and equipment for more specific data collection in the areas of site characterization, ground investigation, coastal monitoring and investigation, and social science data collection. Notably, the multi-hazard equipment is useful for structural earthquake and wind induced damage assessment.

EQUIPMENT CATEGORY	DEPLOYING EQUIPMENT	TYPES OF MEASUREMENT / USAGE	# OF UNITS
<p><b>Computing</b></p>	<p>iPad Pro 10.5 with accessories: -Apple Pencil -ZAGG Rugged Messenger Case/Keyboard or LifeProof NUUD Case -Tripod with adapter -External Battery -256GB Wireless Flash Drive -HD Microphone</p>	<p>Equipped with RAPID App allowing users to identify, capture, aggregate, organize, store, and manage social science, engineering, and geoscience reconnaissance data in the form of typed or handwritten notes, photographs, audio and video recordings, map vectors, questionnaires, and metadata. Data will be seamlessly integrated with DesignSafe for archiving. Required to operate some pieces of RAPID equipment</p>	<p>15</p>
	<p>Field Laptop</p>	<p>Data collection, processing, and communication with other field equipment</p>	<p>6</p>
	<p>2TB Backup Drive</p>	<p>Data storage and backup during reconnaissance work</p>	<p>5</p>
<p><b>Laser Scanning (lidar)</b></p>	<p>Leica BLK360</p>	<p>Close range (&lt; 60 meters) lidar scanning for collection of 3D point cloud data</p>	<p>3</p>



	Maptek I-Site XR3	Extra long range (< 2,400 meters) lidar scanning for collection of 3D point cloud data	1
	Maptek I-Site LR3	Long range (< 1,200 meters) lidar scanning for collection of 3D point cloud data	1
<b>Surveying</b>	Leica Nova TS16I	Surveying total station with integrated camera for collection of spatial data (range of 3,500 meters with prism; 1,000 meters on any surface). Includes prism, prism pole and survey level	1
	Leica LS15	Surveying digital level with integrated camera for collection of spatial data (range of 110 meters)	1
	Leica GS18T	Self-learning GNSS with IMU for collection of spatial data and georeferencing. Can include 2 meter GPS poles (4), bipods (3), spike mounts (2), tribachs (3), adapters (3) and 0.25m or 0.05m offsets (4 each).	4
	Heavy Duty Tripod	Can be used with lidar scanners, total station, digital level, or GNSS units	2
	Medium Duty Tripod	Can be used with lidar scanners, total station, digital level, or GNSS units	5
	Structure Sensor	Small laser scanner that attaches to iPads for collection of spatial data on the scale of a room or for a specific object	2
	Thermometer/Barometer/Digital Compass/Humidity Sensor	Calibration information for survey data collection (also includes wind speed)	5
	Additional Survey Supplies	Magnetic survey targets, printed targets, mag nails, spray paint, chalk	1
	<b>Unmanned Aerial Systems (UAS)</b>	DJI Mavic Pro	Small copter drone (napsack size) for imagery and damage assessment
DJI Mavic Air		Small copter drone (napsack size) for imagery and damage assessment	1
DJI Phantom 4 Pro+		Small copter drone (backpack size) for imagery, damage assessment, and SfM data collection	1
DJI Inspire2 with X4S Camera		Medium-sized copter drone for imagery, damage assessment, and SfM data collection	1
DJI Matrice 210 with X4S Camera		Medium-sized, weather-proof copter drone for imagery, damage assessment, and SfM data collection	2
Skyshot Hybrid HeliKite		Tethered balloon for imagery and damage assessment in drone restricted areas	1
Parrot Disco Adventurer		Small fixed-wing drone for imagery, damage assessment, and training	1





	MiniRanger	Large copter drone with lidar scanner for imagery, damage assessment, and collection of 3D point cloud data (lidar can also be car mounted)	1
<b>Imaging</b>	Canon 7D Mark II with fixed and zoom lense	Imagery and SfM data collection	2
	GigaPan Epic Pro V with tripod	Imagery and SfM data collection	1
	DJI Osmo 3-axis Gimbal and 4K Camera	Imagery in motion	3
	Insta360 One 360 degree camera	360 degree imagery	5
	WonderPole	21-foot and 30-foot long extendable pole for range during image capture	2
	Brinno BCC200 Time Lapse Camera	Time lapse video camera for imagery	2
	Applied Streetview (car mounted)	360 degree imagery while driving - create streetview imagery similar to Google streetview	1
	Flir C3 Thermal Camera	Thermal imaging and damage assessment	5
	Aerial targets and preprinted targets	Used with surveying and imaging equipment as reference markers for SfM	1
<b>Site Characterization</b>	Seismometers	Ground motion data, horizontal-to-vertical ratios for fundamental frequency analysis	6
	ATOM Wireless Seismic Data Acquisition System	Ground motion data, shear wave velocity structure using MASW or passive techniques	1
<b>Ground Investigation</b>	Hand Operated Dynamic Cone Penetrometer System	In situ soil density, strength, stiffness, and penetration rates for engineering characterization	1
	Geotester Pocket Penetrometer	In situ soil strength for engineering characterization	2
	Schmidt Hammers	In situ compressive strength of rock or concrete (RockSchmidt and SilverSchmidt)	2
	AMS 3-1/4-inch Basic Soil Sampling Kit (Hand Augers)	Soil collection for engineering characterization through field or lab tests (hand auger kit)	1
<b>Coastal</b>	Z-Boat 1800 with Single Beam Echo Sounder	Bathymetric spatial data, underwater imagery, and damage assessment	1
	ULB 350/37 Underwater Acoustic Beacon	Instrument location/recovery for offshore deployment	10
	DPR-275 Diver Pinger-Receiver	Instrument location/recovery for offshore deployment	1
	TruBlue 255 Water Level Gauge	Water level and storm surge measurements	20
<b>Social Science</b>	Emotiv 14-Channel EEG Headset	Measure electrical brain activity for human interaction experiments	5



	Emotiv 5-Channel EEG Headset	Measure electrical brain activity for human interaction experiments	1
<b>Miscellaneous</b>	Suaoki 222 Wh Portable Generator	Power supply/charging of equipment	2
	Suaoki 400 Wh Portable Generator	Power supply/charging of equipment	1
	Power Inverter	Power supply/charging of equipment	15
	Walkie Talkies	Field personnel communication	5
<b>RapPack</b>	Includes: -Backpack -First Aid Kit -Safety Glasses -Safety Vest -Hard and Soft Measuring Tape -Leica Disto D2 Range Finder -Digital Caliper -Weld Gauge -Crack Gauge -Hand Level -Pocket Rod -Plumb Bob	Grab bag of essential natural hazards reconnaissance items, including for safety and first aid, localized 1D and 2D measurements, hand level surveying, and damage assessment.	5

The RAPID also provides equipment at the RAPID headquarters for data visualization, data processing and computing. This includes custom built high-powered graphics processing workstations which can be utilized to develop and interrogate models from lidar and structure from motion (SfM) data and analyze data using software associated with RAPID equipment. This also includes a computer automated virtual environment (CAVE) which can be used to further investigate point cloud data (from lidar or SfM) and a 3D printer. The RAPID will assist with limited data processing and archiving of raw data to DesignSafe. For additional data processing needs inquire with the RAPID.

EQUIPMENT CATEGORY	NON-DEPLOYING TYPES OF MEASUREMENT / USAGE EQUIPMENT		# OF UNITS
<b>Computing</b>	Rapid Server	Short-term storage of data collected by RAPID users (long-term storage will be on DesignSafe)	2
	Data Processing Desktop	For processing imagery, point cloud, and surveying data, and performing SfM analysis. These have Leica and Maptek Geomatics software, Pix4D and Agisoft Photoscan software, and other RAPID equipment software, as well as basic programs, such as office.	2
<b>Visualization</b>	Computer Automated Virtual Environment (CAVE)	For visualizing and additional exploration of point cloud data (both lidar and SfM). Can interact with the data and continue to perform damage assessment, including taking measurements, after returning from the field.	1
	3D Printer	For visualization and modeling of 3D data for demonstration or learning purposes	1

### 1.5 RAPID Software (The RApp)

To facilitate field data collection and data transfer to DesignSafe, the RAPID has also developed a custom mobile application called the RApp, which will continue to have features added. The RApp will be installed



on field tablets provided by the RAPID. It affords users the ability to identify, capture, aggregate, organize, store and manage social science, engineering, and geoscience reconnaissance data, as well as to a lesser extent disseminate, analyze, and visualize that data. RApp also enables the collection of metadata that will be linked to data collected by RAPID instruments, the collection of social science data through surveys, communication and organization of field team members, geospatial tagging of all collected data, and will assist with troubleshooting equipment in the field by providing equipment manuals and other important features. Prior to deploying with RAPID equipment, the RApp can be setup via a web-interface as described in a later section.

## 1.6 RAPID Services

RAPID services include:

- Maintaining and calibrating the RAPID equipment and computing devices for use by natural hazards reconnaissance researchers;
- Providing staff assistance for field data collection when necessary;
- Assisting with proposal preparation:
  - General advice
  - Integration with RAPID and NHERI science plans
  - Provide budget information for RAPID equipment and staff
- Logistical support:
  - Arrange and assist with equipment delivery and return
  - RApp (RAPID App) to help with team organization/coordination
- Data archiving:
  - Raw data collected on all RAPID equipment will be archived to DesignSafe by RAPID staff. In some cases, such as initial registration of lidar data, limited data processing and archiving of the processed data can be done by RAPID staff. Contact RAPID for more details.

The following common requests are outside the scope of RAPID's services:

- Coordinating reconnaissance missions or across various reconnaissance teams;
- Setting the scientific objectives for reconnaissance missions;
- Providing funding for reconnaissance missions.

## 1.7 RAPID and User Workflow

The following illustrates the workflow for RAPID users and RAPID staff to support a deployment of RAPID equipment. Each portion of the workflow is discussed in the sections of the User Manual that follow.



# Overview of Using the RAPID

## Before Deployment

<b>Before Requesting Equipment:</b> <ul style="list-style-type: none"> <li>• Read RAPID Site User Manual</li> <li>• Review equipment list and specifications</li> <li>• Review User Agreement</li> <li>• Review user rates and fees</li> <li>• Verify liability insurance</li> <li>• Verify reconnaissance funding source</li> <li>• Complete user training (recommended)</li> </ul>	<b>Request Equipment (Preferred 2 Weeks Prior to Deployment):</b> <ul style="list-style-type: none"> <li>• Check current status of equipment</li> <li>• Complete the RAPID Equipment Request Form</li> </ul>	<b>Discussion Between RAPID And User (Within 2 Business Days of Equipment Request):</b> <ul style="list-style-type: none"> <li>• Equipment needs</li> <li>• Schedule</li> <li>• Rates</li> <li>• Shipping logistics</li> <li>• Complete RAPID User Agreement</li> </ul>	<b>Setup RApp (if Needed):</b> <ul style="list-style-type: none"> <li>• User setup of RApp via web interface</li> <li>• RAPID prepares field tablets</li> <li>• Verify DesignSafe account is active</li> </ul>	<b>Receive Equipment:</b> <ul style="list-style-type: none"> <li>• Options: At home, in field, from RAPID HQ, carried by RAPID staff, handoff from another team</li> </ul>
--	--	---	--	--

## Deployment

## After Deployment

<b>Collect Data:</b> <ul style="list-style-type: none"> <li>• Use manufacturer or RAPID developed equipment manuals (loaded on RApp or otherwise provided)</li> <li>• RAPID remote support as needed</li> <li>• RAPID staff in-field (if needed)</li> </ul>	<b>Return Equipment:</b> <ul style="list-style-type: none"> <li>• Options: Shipping, returned by hand, returned by RAPID staff, handed off to another team</li> <li>• RAPID will inspect and verify equipment condition</li> </ul>	<b>Data Archival:</b> <ul style="list-style-type: none"> <li>• Raw data uploaded to DesignSafe by RAPID staff</li> <li>• Good practice to back up data during deployment as well on backup devices or computers</li> </ul>	<b>Data Processing:</b> <ul style="list-style-type: none"> <li>• If needed RAPID HQ has processing capabilities</li> <li>• Can setup as part of initial user agreement or arrange afterwards</li> <li>• Processed data uploaded to DesignSafe by user</li> </ul>	<b>Pay User Rates:</b> <ul style="list-style-type: none"> <li>• RAPID invoices per the user agreement</li> <li>• Payment expected within 30 days</li> </ul>
---	--	--	--	---

*Workflow for Requesting, Receiving, Using and Returning RAPID Equipment*

## 2. HOW TO REQUEST RAPID EQUIPMENT/RESOURCES

### 2.1 Preparing for an Equipment Request:

Before filling out the [RAPID Equipment Request Form](#), users should:

- Read the RAPID Site User's Manual (this document);
- Review [equipment list](#) and specifications;
- Check the [equipment availability](#);
- Review the [RAPID User Agreement](#);
- Review the [RAPID User Rates and Fees](#);
- Verify the user has liability insurance (for example, UW employees have general liability insurance when performing university duties [including research] as described [here](#)); and
- Participate in [RAPID user training](#) (recommended but not required).

Users should then prepare answers for the following questions as they appear on the RAPID Equipment Request Form:

- Is the project funded or is it in the proposal stage?
  - The RAPID charges user rates and fees to support its operations, which are partially subsidized by NSF. These rates and fees should be included in project budgets.



- It is recommended that the RAPID Equipment Request Form be submitted and a discussion between the user and RAPID staff occur, prior to the user submitting a research proposal to use the RAPID equipment to a funding agency.
- What equipment are you requesting?
  - At the stage of submitting the Equipment Request Form users should know the general categories of equipment they are requesting and be able to discuss the data they would like to collect. Following form submission the RAPID staff can assist with selection of specific equipment during discussions between the RAPID and the user.
- Do you know how to use the equipment you want?
  - Users will be asked to describe their experience with the equipment they are requesting and whether they have attended RAPID user training workshops. Note that UAVs require a [remote pilot certificate](#) to operate.
- Will you need field assistance from RAPID staff (required for certain equipment)?
  - RAPID staff can assist with data collection in the field. There are additional user fees associated with this. The miniRanger (lidar equipped UAV) and the Z-Boat (unmanned watercraft equipped with single-beam sonar) require RAPID staff to operate.
- Will you need assistance processing the data (especially lidar data and development of point cloud models)?
  - The RAPID facility offers high-speed data processing computers specifically built for processing lidar point cloud data and building structure-from-motion (SfM) models. They can also provide access to the CAVE and laptops. RAPID staff can also assist with processing for an additional fee.
- Do you need training on specific equipment prior to deployment?
  - The RAPID can, in some instances, provide training on specific equipment prior to deployment, depending on staff availability.

## 2.2 Making a RAPID Equipment Request:

Once users have considered the above, the RAPID equipment form can be completed and submitted (the request form is available by pushing the “Request RAPID Equipment” button on the [RAPID website](#)). The form is brief and takes no longer than 5 to 10 minutes to complete. The RAPID staff will contact the user within two business days of form submission (often much faster). The user and the RAPID staff will then begin discussing:

- The user’s equipment and staff needs;
- User’s experience with the equipment and any training requested or required;
- Schedule for the equipment;
- User rates and preparation of a quote for the requested equipment and services;
- Shipping logistics (how and where the user will receive the equipment);
- User Agreement completion, including providing identification, credit card information and verifying liability insurance;
- Setting up RApp, the RAPID’s custom developed reconnaissance software.

Once the RAPID and user complete a User Agreement, the equipment will be reserved and that reservation will be forwarded to the Network Coordination Office. They will update the equipment schedule that other potential RAPID users will see.

### 3. RAPID USERS AND USES

The RAPID aims to accommodate all reasonable requests for use of its equipment and resources. Conflicting equipment requests may be accommodated with slight changes in schedule. The RAPID facility is open to anyone for any use, including:

- Academics, government agencies, private industry, etc.

There are different user rates for NSF vs. non-NSF users as the RAPID equipment and operations are subsidized by NSF specifically for NSF supported users performing reconnaissance following natural hazards (see the user rates section of this User’s Manual). When scheduling conflicts arise the following matrix of priority users and uses is consulted to establish priorities between competing equipment requests.

User	Data Collection Activity				
	Near-Term Response to a Priority Natural Hazard <sup>1</sup>	Recovery Phase for a Priority Natural Hazard <sup>1</sup>	Experiments at NHERI Facilities	Other Natural Hazards	Other Applications
NSF Supported	1	2	2	3	3
Non-NSF Federal Agency	4	5	5	5	5
Other	5	6	6	6	6

*Matrix Establishing Priorities for Scheduling Conflicts for RAPID Equipment and Resources.*

<sup>1</sup>Priority Natural Hazards are: Hurricanes, Tornadoes, Other Windstorms, Storm Surge, Earthquakes, Tsunamis, and Landslides

Serving the needs of NSF supported researchers is the primary objective of the RAPID. RAPID equipment may be requested for any NSF research. This includes:

- RAPID grants;
- NSF supported reconnaissance organizations (GEER <http://www.geerassociation.org/>), ISEER (<https://hazards.colorado.edu/news/center-news/102>), and others that may be developed;
- Other NSF grants from Engineering or other Directorates.

### 4. USER TRAINING

The RAPID offers training to facility users. User training workshops are advertised on the RAPID website (<https://rapid.designsafe-ci.org/workshops/upcoming/>) and by email through the DesignSafe email list (<https://www.designsafe-ci.org/>). The following opportunities for user training are offered annually:

- Single day workshops that provide an overview of the RAPID, its equipment and services. These are often affiliated with disciplinary conferences (i.e., the National Conference on Earthquake

Engineering) and/or in collaboration with other NHERI equipment sites or reconnaissance organizations such as GEER.

- A weeklong intensive user-training workshop that features hands-on training with RAPID equipment and data processing. These occur each summer at the RAPID Headquarters at the University of Washington. Travel grants are typically available.
- Personalized training on specific equipment and data processing on an as-needed basis as RAPID staff availability permits. Contact the RAPID for more information on personalized training. User fees may apply for some personalized training.

Agendas and slides from previous user training workshops are available on the RAPID website (<https://rapid.designsafe-ci.org/workshops/past/>).

Manufacturer resources (i.e., user manuals, YouTube videos, etc.) will be made available via the RAPID website during the fall of 2018 and are available now by request. They will also be available on RAPID field tablets via the RApp. Additionally, the RAPID is preparing simplified workflows and user guides for commonly used equipment; those will be made available on the RAPID website and on field tablets.

## **5. RECEIVING RAPID EQUIPMENT**

### **5.1 General Shipping Considerations**

The RAPID will arrange the shipping of RAPID equipment. Shipping logistics are a critical part of the discussions between users and RAPID following the submission of the Equipment Request Form. Users may receive RAPID equipment by the following methods:

- Shipping to the user's home institution/location prior to deployment;
- Shipping to a field location for users to receive;
- Users can pick-up equipment from the RAPID headquarters at UW (this may be convenient if personalized training prior to deployment is desired);
- RAPID staff may meet users with the equipment in the field;
- Users may receive a hand-off from another previously deployed reconnaissance team.

### **5.2 Shipping Costs**

The RAPID has limited funds available for shipping equipment and users are generally responsible for shipping costs. The RAPID is negotiating contracts with a shipping agent that can be used and has the advantage of the shipping agent being familiar with the equipment and its shipping requirements.

### **5.3 Special Shipping Considerations for Batteries**

All batteries for all RAPID equipment are small enough to be carried as carry-on baggage on most domestic commercial airline flights. Users should verify that batteries for the equipment they are deploying with are acceptable on international flights. If shipped, most batteries can be shipped by air on cargo planes, but otherwise would have to be shipped ground or freight. The RAPID staff can provide battery details for the requested equipment.

### **5.4 Special International Shipping Considerations**

The RAPID will help users with import/export controls. The use of [carnets](#) is encouraged as these provide some measure of security when carrying equipment overseas. The RAPID can assist with obtaining carnets but they typically require a lead time of at least one week. In the future, the RAPID may maintain carnets

for RAPID equipment that would be transferrable to users. Inquire with the RAPID staff for more information.

## **6. RETURNING RAPID EQUIPMENT**

RAPID equipment may be returned via the same methods outlined in Section 5.1 for receiving RAPID equipment. Returning the equipment will be a critical part of the discussions between users and the RAPID following the submission of the Equipment Request Form. Users are generally responsible for shipping costs to return RAPID equipment.

## **7. INSURANCE**

The RAPID maintains insurance on all facility equipment that covers equipment loss and damage under approved use by RAPID staff and facility users. However, additional fees are incurred for international use of the equipment. A portion of these fees will be passed on to the users of the equipment for international deployment. RAPID users who will operate RAPID equipment themselves are required to verify and demonstrate that they carry general liability insurance for damages to people and property resulting from RAPID equipment use with a minimum value of one million US dollars. Most academic institutions and employers maintain such liability insurance for their employees when performing university duties or employee activities, including research activities. You should check with your university or employer to see what general liability they carry for their employees and researchers.

## **8. SETTING UP RAPP PRIOR TO DEPLOYMENT**

### **8.1 Step 1: DesignSafe – Login and Data Archive**

DesignSafe provides the login credentials (username & password) for RApp. In order to use RApp you will need a DesignSafe account. If you do not have a DesignSafe account you can register for a new account on DesignSafe account registration page: <https://www.designsafe-ci.org/account/register/>

In order for RApp to automatically save data to DesignSafe, you will need to have at least one project that you have access to in your Data Depot on DesignSafe. To create a project, first log in to DesignSafe. Then, click the “Research Workbench” menu at the top left of the screen and select the “Data Depot” item. Next, select “My Projects” from the left menu panel. Finally, click the “Add” button. If you wish to use a project that someone else created, you will need to have them add you as an authorized user of that project.

### **8.2 Step 2: RApp Website – Pre-deployment Planning**

The RApp website allows you to configure checklists, create questionnaire templates, and view equipment information prior to deployment. To access the RApp website, go to: <https://rapid.apl.uw.edu/rapp/>

On the RApp website splash screen, click “Click to Proceed”. Once the DesignSafe login panel displays, enter your DesignSafe username and password and sign in.

To create checklists, select “Mission” from the left menu, and “Checklist” from the right menu. In the checklist section you can create new checklists by clicking the + button at bottom right of screen, or download shared checklists by clicking the cloud button at top left of screen. Any changes you make to checklists will automatically be updated in the RApp app.

To create questionnaire templates, select “Inventory” from the left menu, and “Questionnaire Templates” from the right menu. In the questionnaire templates section you can create new templates by clicking the +



button at bottom right of screen, or download shared templates by clicking the cloud button at top left of screen. Any changes you make to questionnaire templates will automatically be updated in the RApp app.

### **8.3 Step 3: RApp iOS App – Mission Planning and Data Collection**

In order to use RApp, you will need to have a Passcode enabled on the iPad. The Passcode is used to restrict access to both the iPad and RApp. For convenience, once a Passcode is set you may set up Touch ID to use your fingerprints for faster opening of both the iPad and RApp. To access Passcode and Touch ID settings on the iPad go to “Settings” > “Touch ID & Passcode”.

When launching RApp, provide the iPad Passcode (or Touch ID if enabled).

If the iPad has a Wi-Fi or cellular network connection, enter your DesignSafe username and password and then sign in. Once signed in, go to “Mission” and select “Data” from the right menu. In the “Data” section you should see a list of DesignSafe projects. Select a project for your data to be associated with. Any data you collect in RApp will automatically be uploaded to the specified project in DesignSafe, as long as you have a network connection. If you do not have any DesignSafe projects, you will need to create one on the DesignSafe website. You may access checklists you created in the RApp website by going to “Mission” > “Checklist”.

## **9. USER RATES AND FEES**

The RAPID facility’s operations are mostly subsidized for NSF supported research activities. However, that support does not completely cover the costs of RAPID operations. User rates and fees are necessary to ensure the complete operation of the facility under anticipated NSF usage. Use of the equipment for gathering data to support non-NSF activities cannot make use of the NSF funds provided for operations and therefore incur a higher fee. A list of user rates and fees for the RAPID equipment and services is provided on the next page. This list of rates fees is updated annually to reflect updated estimates of facility use.



**User Rates and Fees for RAPID Equipment and Staff**

Rate Number	Equipment/Staff	NSF Supported User Rate (\$/Day)	Non-NSF Supported User Rate (\$/Day)
Rate 1	iPad Pro 10.5 plus accessories	5.48	9.18
Rate 2	Field Laptop	18.13	30.02
Rate 3	2TB Backup Device	3.73	5.53
Rate 4	Leica BLK360	67.38	113.87
Rate 5	Maptek I-Site XR3	516.58	874.60
Rate 6	Maptek I-Site LR3	429.66	727.75
Rate 7	Leica Nova TS16I	131.98	219.57
Rate 8	Leica LS15	46.94	75.89
Rate 9	Leica GS18T	94.35	158.77
Rate 10	Structure Sensor	9.94	14.85
Rate 11	DJI Mavic Pro	22.94	35.80
Rate 12	DJI Mavic Air	21.70	33.72
Rate 13	DJI Phantom 4 Pro+	28.36	46.27
Rate 14	DJI Inspire2 with X4S Camera	34.72	57.48
Rate 15	DJI Matrice 210 with X4S Camera	40.24	68.54
Rate 16	Skyshot Hybrid HeliKite	27.16	43.55
Rate 17	Parrot Disco Adventurer	14.67	19.61
Rate 18	MiniRanger	537.15	921.10
Rate 19	Canon 7D Mark II with fixed and zoom lense	18.12	28.98
Rate 20	GigaPan Epic Pro V with tripod	16.04	21.93
Rate 21	DJI Osmo 3-axis Gimbal and 4K Camera	7.90	12.49
Rate 22	Insta360 One for Apple Products	4.79	7.59
Rate 23	Brimmo BCC200 Construction Bundle Pro Time-Lapse Camera	7.33	9.79
Rate 24	Applied Streetview	113.42	201.30
Rate 25	Flir C3 Thermal Camera	4.98	7.90
Rate 26	Seismometers	49.55	84.02
Rate 27	ATOM Wireless Seismic Data Acquisition System	157.97	265.65
Rate 28	Hand Operated Dynamic Cone Penetrometer System	36.93	60.76
Rate 29	Geotester Pocket Penetrometer	7.75	10.51
Rate 30	SilverSchmidt and RockSchmidt Hammers	16.67	26.88
Rate 31	AMS 3-1/4-inch Basic Soil Sampling Kit (Hand Augers)	24.23	38.08
Rate 32	Z-Boat 1800 with Single Beam Echo Sounder	352.43	615.42
Rate 33	ULB 350/37 Underwater Acoustic Beacons and pinger	43.77	70.08
Rate 34	TruBlue 255 Water Level Gauge	7.07	13.29
Rate 35	Emotiv 14-Channel EEG Headset	7.63	12.61
Rate 36	Suaoki 222 Wh Portable Generator	11.52	13.38
Rate 37	Suaoki 400 Wh Portable Generator	12.03	14.23
Rate 38	RapPack	7.53	12.34
Rate 39	RAPID Staff In Field: Tech	763.45	1429.89
Rate 40	Processing Computers	70.86	79.71
Rate 41	CAVE	99.72	146.08
Rate 42	3D Printer	27.38	43.12